

EP — Europace

Volume 19 Suppl. S1

YOUNG INVESTIGATORS COMPETITION

- Non-invasive detection of exercise induced cardiac conduction abnormalities in sudden cardiac death survivors in the inherited arrhythmic syndromes
K.M.W. Leong i1
- A multi-centre study into the use of Ripple Mapping to differentiate atrial scar from conducting tissue during tachycardia ablation
V. Luther i1
- The end of pre-implant subcutaneous ICD screening? Using mathematical vector rotation to generate a personalised sensing vector resulting in universal device eligibility
B.M. Wiles i2
- Insights into the mechanisms of triggered activity during long qt conditions in the intact heart using optical mapping
C. Alexander i2
- Characteristics of ablated rotors in terminating persistent atrial fibrillation using non-contact mapping
Xin Li i3
- A novel mapping system for panoramic mapping of the left atrium: validation and application to detect and characterise localised sources maintaining AF
S. Honarbakhsh i3

ORAL ABSTRACTS (1)

- Investigating the utility of subcutaneous implantable cardioverter-defibrillators in the adult congenital heart disease population
H.R. Garside i4
- Pre-existing right ventricular paced heart failure patients upgraded to cardiac resynchronisation therapy devices: a retrospective assessment of the functional and clinical benefits
N.A. Mark i4
- Implementation of opportunistic screening at Pre-Assessment Clinics for upgrade/downgrade of cardiac devices
A. Padwick i4
- Remote monitoring of ILRs, when is more too much?
G. Pounds i5
- Analysis of trigger factors is one of the important point in the management of patients with stable coronary artery disease and high-grade ventricular arrhythmias
E.A. Ryngach i5
- Is cardiac resynchronisation therapy more effective in females than males? A comparison of STH patients and the findings of MADIT-CRT
A. Cresswell i5
- SAFE2SCREEN - can patient initiated kiosk-based self-screening provide an opportunity to identify atrial fibrillation within a GP waiting room environment?
C. Crockford i5
- Primary care based opportunistic screening for atrial fibrillation increases detection rates
F. De Vere i6
- Early prolonged ambulatory cardiac monitoring in stroke (EPACS) - an open-label randomised controlled trial
A.K. Kaura i6
- Left atrial appendage occlusion in patients meeting the “commissioning through evaluation” eligibility criteria: high all-cause mortality seen in spite of successful device implant
A. Masoud i7
- Atrial arrhythmia detection by implantable loop recorder in patients with and without previous stroke; implications for investigating patients with unexplained ischaemic stroke
P.A. Chousou i7
- Assessment of cardiac arrhythmias at extreme high altitude using an implantable cardiac monitor: REVEAL HA Study
C.J. Boos i8

ORAL ABSTRACTS (2)

- Clinical outcomes of cardiac resynchronization therapy with or without defibrillation in non-ischemic cardiomyopathy: impact of left ventricular midwall fibrosis
F. Leyva i9
- A multi-centre UK clinical experience with wireless intracardiac left ventricular endocardial stimulation for delivery of cardiac resynchronisation therapy (WiSE CRT).
J.M. Behar i9
- Thromboembolic events in left ventricular endocardial pacing: long-term outcomes from a Multicentre UK registry
V. Sawhney i10
- CIED lead extraction in the elderly has low risk
A. Zaidi i10
- Empiric versus entrained cavotricuspid isthmus line ablation in congenital heart disease: a single centre experience
V. Sawhney i10
- Long-term outcomes of supraventricular tachycardia ablation in congenital heart disease: single centre UK experience
V. Sawhney i11
- First evidence that differences in the t-wave upslope of the body surface ECG reflect right to left dispersion of repolarization in the intact human heart
N.T. Srinivasan i11
- Neuro-cardiac profiling of electrophysiologic and structural remodeling in an in-vitro rabbit heart failure model
S.H. Chin i11
- Markers of depolarization abnormalities (fragmented QRS and early repolarization pattern) in patients with myocarditis.
M.S. Gordeeva i11
- Left atrial voltage predicts AF recurrence after ablation, irrespective of the rhythm during mapping, while circulating biomarkers of fibrosis do not.
G.A. Begg i12
- Refining the diagnostic criteria of the postural orthostatic tachycardia syndrome (POTS) using power spectral indices
A. Sau i12
- Optimising the predictive capability of a mathematical model of AF progression using cardiac device data
E.T.Y. Chang i13

ORAL ABSTRACTS (3)

- Ablation of longstanding persistent atrial fibrillation using the ACQMAP 3-D mapping system - an early single centre experience
E. Shepherd i14
- Improving target identification of persistent atrial fibrillation ablation using simultaneous intracardiac mapping
Xin Li i14
- Accuracy of left atrial bipolar voltages obtained by ConfIDENSE multielectrode mapping in patients with persistent atrial fibrillation
B. Maille i15
- The impact of the presence of left atrial low voltage areas on outcomes from pulmonary vein isolation
F. Ahmed-Jushuf i15
- Power, lesion size index and oesophageal temperature alerts during atrial fibrillation ablation (PILOT-AF): a randomized study
M. Leo i16
- Derivation of a prediction model for the optimization of patient selection for catheter ablation of atrial fibrillation: the AF-FREEDOM score.
Rui Providencia i16

Effect of activation wavefront on electrogram characteristics during ventricular tachycardia ablation <i>C.A. Martin</i>	i16
Multimodality image reconstruction and fusion to guide VT ablation <i>N.F. Kelland</i>	i17
Application of the novel 'shanghai' diagnostic criteria for brugada syndrome reduces the number of diagnoses with low risk of arrhythmic events in index cases <i>G. Mellor</i>	i17
Development of atrial fibrillation following ablation for typical atrial flutter cannot be predicted by conventional risk factors; time for a rethink in ablation strategy? <i>M. Mann</i>	i18
Evolution of PROMS data and what it tells us about patients undergoing catheter ablation for atrial fibrillation <i>J. Girach</i>	i18
Atrial fibrillation ablation as a day-case procedure: three-year single-centre experience <i>S. Bartoletti</i>	i19

MODERATED POSTERS (1)

Long-term clinical outcomes of cardiac resynchronization therapy with or without defibrillation: impact of the etiology of cardiomyopathy <i>A. Zegard</i>	i20
Early experience of intra-operative use of ECGI during VT ablation <i>A.J. Graham</i>	i20
Atrial tachyarrhythmia ablation in lateral tunnel fontan patients: a case series <i>V. Sawhney</i>	i21
Smartphone apps for the detection of AF <i>N. Karim</i>	i21
Radiofrequency balloon catheter ablation for paroxysmal atrial fibrillation, RADIANCE STUDY-a UK experience <i>S. Honarbakhsh</i>	i21
Catheter ablation for atrial fibrillation on uninterrupted NOACs: a safe approach? <i>V. Sawhney</i>	i22
Patients on novel oral anticoagulants require higher doses of unfractionated heparin than those on warfarin to achieve a target act value during ablation of left atrial tachyarrhythmias <i>D. Lee</i>	i22
Modification in head up tilt test protocol increases diagnostic yield and better-elucidates the mechanism of situational syncope <i>C.W. Lim</i>	i23

MODERATED POSTERS (2)

Cardiac arrest in the absence of an acute coronary artery occlusion: characteristics and outcomes of patients with primary arrhythmic arrest in a UK tertiary centre <i>A. Anilkumar</i>	i24
HF-RADD - heart failure risk according to device diagnostics: a prospective observational study <i>E.M. Johnstone</i>	i24
Generation of the first functional map of left atrial ganglionated plexus sites that induce AV nodal bradycardia <i>M.Y. Kim</i>	i24
How multinational community pharmacists worked with AF Association and Arrhythmia Alliance pulse rhythm check campaign Know Your Pulse) to raise awareness of and identify people at risk of AF <i>T.C.A. Lobban</i>	i25
Impact of open audit on procedural performance in electrophysiology catheter laboratory <i>V. Sawhney</i>	i25
The changing trends in new ICD and CRT-D implants over the last 20 years at a single large tertiary cardiology centre <i>Z. Vali</i>	i26

Day- case implant of complex pacing devices is safe and preferred by patients <i>P.A. Chousou</i>	i26
Screen, EAARN, or valid-CRT score, which one best predicts CRT response and long-term survival? <i>Rui Providencia</i>	i27

POSTERS (1)

Can high volume tertiary centres with 24/7 device implanting service provide improved efficacy and outcomes compared to a large district general hospital model? <i>N. Karim</i>	i28
Is this the beginning of the end for warfarin? <i>A. Sotiriou</i>	i28
Prevalence and spectrum of genetic variants in a single-centre cohort of Brugada syndrome <i>L. Wong</i>	i28
Long term success rates following pulmonary vein isolation with 2nd generation cryoballoon ablation for paroxysmal atrial fibrillation; 3.5 year follow up <i>T. Robinson</i>	i28
How good are new ELRS in AF monitoring? <i>W.J.T. Eysenck</i>	i29
Cryoablation for persistent and long standing persistent atrial fibrillation: a single centre experience <i>V. Sawhney</i>	i29
Improving access to arrhythmia services: the role of the cardiac rhythm management specialist nurses <i>P.X. Wheeler</i>	i29
How well do London ambulance assess potential T-LOC patients in comparison to nice guidance <i>R.G. Gall</i>	i30
Does non-specialist care mean under treatment with antiarrhythmic drugs and poor DC cardioversion outcome for persistent atrial fibrillation - a single centre study <i>C. Broughton</i>	i30
Clinical use of the 3D Rhythmia Mapping System For Ablation of Arrhythmias: preliminary data from the TRUE-HD study <i>T. Wong</i>	i31
Identifying opportunities to prevent AF-related stroke through better access to NHS primary and secondary care data <i>J. Macdonald</i>	i31
Incidence of arrhythmias in Ebstein's anomaly in a single centre <i>R. Bond</i>	i31
Percutaneous suture closure of the left atrial appendage in patients with a high CHA2DS2 VASC score and absolute contraindication for oral anticoagulant therapy - the UNITED KINGDOM experience <i>M. Ibrahim</i>	i31
Heart rate variability evaluation in patients with long standing persistent atrial fibrillation treated with thoracoscopic surgical ablation with ganglionic plexi ablation or catheter ablation - recordings from implantable loop recorder <i>H. Khan</i>	i32
Analysing mortality variances between right ventricular high septal pacing vs. right ventricular apical pacing following av node ablation: 10 years follow up <i>W.J.T. Eysenck</i>	i32
Predicting success of atrial fibrillation ablation by point by point and single shot ablation techniques <i>T.A. Nelson</i>	i33
Internal cardioverter defibrillator follow up data of out of hospital cardiac arrest survivors within a tertiary centre in the UK <i>E. Moore</i>	i33
MADIT RIT in the real world - an observational tertiary centre study <i>V.S. Porter</i>	i33

Use of ultra-high density activation mapping to aid isthmus identification in atrial macro-reentrant tachycardias in complex congenital heart disease <i>C.A. Martin</i>	i34
Voltage and pace- capture mapping of linear ablation lesions overestimate chronic gap size <i>L. O'Neill</i>	i34
Panoramic atrial mapping with basket catheters: a quantitative analysis to optimise practice, patient selection and catheter choice. <i>S. Honarbakhsh</i>	i35
Relationship of conduction velocity and conduction velocity dynamics to bipolar voltage and drivers in atrial arrhythmia <i>S. Honarbakhsh</i>	i35
Post-mortem ICD interrogation in mode of death classification <i>T. Nikolaidou</i>	i36
Long term outcome following left atrial appendage occlusion: real world experience from a single centre prospective registry <i>R. Ang</i>	i36
Use of ECGi and re-entry vulnerability index to predict VT Re-entry sites in sinus rhythm <i>A.J. Graham</i>	i36
Single-centre experience of cied lead extraction using cook medical evolution system <i>A. Zaidi</i>	i37
A new mapping technique for atrial fibrillation shows frequent focal and uniform activations <i>I. Mann</i>	i37
Incorrect coding of atrial fibrillation leads to under-treatment with anticoagulation in pacing clinics <i>M. Kahn</i>	i37
Clinical evaluation of the 'pulse smart rhythm analyst': a novel software algorithm and pulse oximeter combination for mass screening of atrial fibrillation <i>M.B. Sayers</i>	i38
One-year outcomes of triple therapy and adherence with ESC guidelines in patients with AF undergoing PCI in a teaching hospital <i>A. Saffy</i>	i38
Differences in right and left atrial structure and electrophysiology in ARVD <i>R. Martsinkevich</i>	i38
Investigating the tissue response to radiofrequency ablation during left atrial posterior wall ablation: analysis of unipolar electrogram morphological changes following visitag-guided pulmonary vein isolation <i>D.R. Tomlinson</i>	i39
Trans-coronary pacing to assess myocardial viability prior to percutaneous coronary intervention <i>J. O'Neill</i>	i39
Pan London 'know your pulse' awareness campaign during world heart rhythm week 2017 <i>N. Hamedi</i>	i40
Impact of QTc formulae in the prevalence of short and long corrected QT intervals in a young adult cohort <i>Rui Providencia</i>	i40
Routine pre assessment variables fail to predict response to CRT <i>L. Carlisle</i>	i40
Fluoroscopy times in electrophysiology and device procedures: impact of single frame location fluoroscopy <i>V. Sawhney</i>	i41
Cost effectiveness of a risk-stratified approach to cardiac resynchronisation therapy defibrillators at the time of generator change <i>S. Claridge</i>	i41
Patient self-reported pain and contributing factors during the implant of cardiac implantable electronic devices <i>N. Brewster</i>	i41
Temporary pacing optimisation post cardiac surgery. Are we missing a trick? <i>D. Meese</i>	i42

Do automatic CRT optimisation algorithms work? A comparison of techniques <i>N.B. Bloodworth</i>	i42
REVEAL™ AND CARELINK™ (REAL CARE): minimising diagnostic time in the implantable loop recorder population <i>G. Pounds</i>	i42
Protocol for a systematic search and critical review of studies, in effective strategies to maintain quality of life in adult patients with postural orthostatic tachycardia syndrome utilizing an interpretive approach <i>H. Eftekhari</i>	i43
How is our local AF management? The management of atrial fibrillation (af) in coventry and rugby clinical commissioning group (ccg), england compared to national data and nice (national institute for clinical excellence) 2014 <i>H.R. Eftekhari</i>	i43

POSTERS (2)

Investigation of the transmural action potential duration and repolarization properties of scar borderzone in patients undergoing ventricular tachycardia ablation <i>N. T. Srinivasan</i>	i45
ECG predictors of ventricular arrhythmia and non arrhythmic death in the subcutaneous implantable cardioverter defibrillator population <i>B.M. Wiles</i>	i45
Thoracoscopic epicardial left atrial appendage occlusion in stroke prevention in non-valvular atrial fibrillation - long-term results <i>Anna Witkowska</i>	i45
The role of permanent pacing following cardiac surgery. Appropriateness and timing of implants: a large tertiary single centre experience. <i>P.H. Waddingham</i>	i45
Accuracy of test results for Direct Oral Anticoagulants (DOACs) and Warfarin- importance of External Quality Assessment (EQA) <i>D.P. Kitchen</i>	i46
Working with community pharmacists to improve anticoagulation new medicine service discussions <i>Sharron Gordon</i>	i46
Supporting initiation of anticoagulation with ‘jack’, a video counselling tool <i>Sharron Gordon</i>	i47
“I don’t know how you can be the decision maker when you don’t understand”: designing a tailored E-health intervention to empower patients living with non-valvular atrial fibrillation <i>A.R. Roebuck</i>	i47
Review of management of cardiac arrest and predictors of outcome in a large district general hospital “cardiac arrest centre” <i>M.E. Taylor</i>	i48
P wave morphology and spectral analysis of signal averaged ECG’S in paroxysmal AF patients: can this explain anatomical basis of paroxysmal AF and their propensity to recurrence <i>S. Varanasi</i>	i48
Anticoagulation in atrial fibrillation - a single-centre audit on patient education, stroke and bleeding risk assessments and use of direct oral anticoagulants (DOACs) <i>S.M. Ng</i>	i48
Survey to evaluate awareness and current practice of venous thromboembolism prevention following electrophysiological procedures in the United Kingdom <i>S.E. Hickman</i>	i49
The impact of atrial fibrillation on the survival of patients with degenerative aortic stenosis. a prospective clinical study <i>D. Mercea</i>	i49
A novel method to determine left atrial compliance in vivo: relationship with markers of remodelling in AF <i>R.J. Norton</i>	i49

P wave duration and spectral analysis of signal averaged P wave: can this guide us in deciding the extent of ablation required beyond pulmonary vein isolation? - A prospective study <i>S. Varanasi</i>	i50
Cardiopulmonary exercise testing echocardiography features predicting the safety and efficacy of a central arterio-venous fistula with subgroup analysis assessing the impact of the device on blood pressure control and AF burden <i>W.J.T. Eysenck</i>	i50
Effective atrial conducting size does not predict human AF vulnerability <i>L. O'Neill</i>	i50
Reducing the burden of unnecessary LINQ implantable loop recorder remote downloads by implementing an in-hospital multidisciplinary strategy to individualise management of patients with high volume downloads <i>J.H. Tan</i>	i51
CMRI-assessed left ventricular extra-cellular volume fraction, not left atrial late gadolinium uptake, is related to higher left atrial pressure and increased type 1 collagen telopeptide levels in pre-ablation AF patients <i>G.A. Begg</i>	i51
GP-led anticoagulation counselling for non-valvular atrial fibrillation (AF) in the community is neither comprehensive nor accurate: Results from a service improvement project. <i>R.H. Hossain</i>	i52
Implantable loop recorders - diagnostic yield in patients with syncope and presyncope <i>R. Adlakha</i>	i52
Setting up a VT ablation service - where to set the bar of patient selection? <i>L. Roche</i>	i52
Internal loop recorder ('Reveal') implantation as a diagnostic tool in patients with unexplained syncope <i>Jipin Das Kizhakkepatt</i>	i52
Atrial flutter in hospital practice: the burden of atrial flutter on a regional cardioversion service, and barriers to referral for ablation <i>S.A. Reddy</i>	i53
Improving the implementation of anti-coagulation therapy in AF patients at risk of stroke in a primary care setting <i>S.E. Agdomar</i>	i53
'Silent' atrial tachyarrhythmia and potential cryptogenic stroke: a 'real-world' study <i>K. Wykes</i>	i54
The prevalence of upgrade to biventricular pacing after bradycardia pacing is less than 2%: a 12-year series of over 750 patients from a 'real world' district general cohort <i>Steven E. Williams</i>	i54
Lower complication rates with MicraTPS versus transvenousVVI pacemakers; a single centre experience <i>N. Ali</i>	i55
Implantable cardioverter defibrillator use in octogenarians <i>A. Sotiriou</i>	i55
Cardiac resynchronization pacing in patients with chronic heart failure <i>B. Akhyt</i>	i56
Do octogenarians tolerate CRT-P insertion? <i>F.G.D. Smith</i>	i56
Failure of timely referral to acute in-hospital heart failure services <i>K. Musa</i>	i56
Day-case device implantation- a prospective single-centre experience including patient satisfaction data <i>J.L. Peplow</i>	i56
A retrospective study to assess feasibility of daycase complex device insertion <i>F.G.D. Smith</i>	i57
Remote monitoring of ILRs, when is more too much? <i>G. Pounds</i>	i57

Do atrial high rate episodes <6 minutes in duration in pacemaker patients increase stroke risk? <i>S. Houghton</i>	i57
AV delay optimisation in patients with congenitally corrected transposition of the great arteries. <i>S.J. Griffiths</i>	i58
Implantable cardiac monitors (ICM): quality assurance audit outcomes of an innovative specialist nurse led service. <i>T. Rice</i>	i58
Remote monitoring of implantable cardioverter-defibrillators: can usage be predicted at a UK tertiary centre? <i>C. Gannon</i>	i58
The prevalence of sleep disordered breathing in patients more than 65 years with persistent AF and the impact of AF intervention on sleep scores AT 6 month follow-up <i>W.J.T. Eysenck</i>	i58
Service evaluation: to identify how Plymouth NHS trust statistics for primary and secondary ICD and CRT-D intervention comply with NICE guidelines and compare with national statistics. <i>J.T. Dodd</i>	i59
The sawtooth EKG pattern of typical atrial flutter is not related to differences in conduction velocity around the flutter circuit <i>A. Sau</i>	i59
Arrhythmia alliance patient survey: device related infection in implanted cardiac electronic devices <i>T. Lobban</i>	i60

PAEDIATRIC

Not narrow, not wide: a 15 year old with recurrent episodes of tachyarrhythmia <i>R. Fortner</i>	i61
A profile of a UK paediatric population with postural tachycardia syndrome <i>L.A. Kavi</i>	i61



Open Access Paper



Visit EP—EUROPACE's mobile site
<http://m.europace.oxfordjournals.org/>

